MQ - MULTIQUIP

NOVEMBER 2012

SIN	Model	Description	COMMERCIAL LIST PRICE November 2012	GSA Price With IFF (FOB Origin) Nov 2012
Generators				
383-2	DA7000SSA1	Generator 7KW Kubota Elec Start	$8,650.00	$6,972.29
383-2	GA25H	Genset 2.5kW Honda GX160	$1,611.75	$1,299.14
383-2	GA36HB	Genset 3.6kW Honda GX240 GF	$2,772.40	$2,234.68
383-2	GA6HB	Genset 6.0kW Honda GX340 GFC	$3,199.15	$2,578.66
383-2	GA6HEB	Gen 6.0kW Honda GX340 Rec/El	$3,488.40	$2,811.81
383-2	GA97HEA	Gen 9.7kW Honda GX630 Elect S	$5,372.40	$4,330.40
Generator Accessories				
383-2	WKT97	Wheel Kit GA97HE 2 pneumatic	$170.00	$137.03
DCASS Super Silent Models Single Phase Analog				
383-2	**DCA10SPXU4C**	24.5 hp (Gross) Kubota diesel Tier IV, 61dB(A), electric start, 16.4 Gallon Fuel Tank; EGS	$18,470.00	$14,887.66
383-2	**DCA15SPXU4C**	36.1 hp (Gross) Kubota diesel Tier IV, 62 dB(A), electric start, 16.4 Gallon Fuel Tank; EGS	$20,710.00	$16,693.20
383-2	**DCA20SPXU2**	34.3 hp (Gross), Isuzu diesel Tier IV, 63 dB(A), w/ECU, 17 Gallon Fuel Tank	$22,659.00	$18,264.18
383-2	**DCA20SPXU2D**	34.3 hp (Gross), Isuzu diesel Tier IV, 63 dB(A), w/ECU, 17 Gallon Fuel Tank, DigitalController (Basler 2020)	$25,320.00	$20,409.07
383-2	**DCA36SPXU2**	67.1 hp (Gross), Isuzu diesel Tier IV, 65 dB(A), w/ECU, EGSI, 26 Gallon Fuel Tank; Idle switch	$32,845.00	$26,474.56
	DCA36SPXU2D	67.1 hp (Gross), Isuzu diesel Tier IV, 65 dB(A), w/ECU, EGSI, 26 Gallon Fuel Tank; Idle switch, Digital Controller (Basler 2020)	$34,115.00	$27,498.24
383-2	**DCA56SPXU2**	97.9 hp (Gross), Isuzu Tier IV, 68 dB(A), w/ECU, EGS, 40 Gallon Fuel Tank; Idle switch	$39,395.00	$31,754.16
383-2	**DCA56SPXU2D**	97.9 hp (Gross), Isuzu Tier IV, 68 dB(A), w/ECU, EGS, 40 Gallon Fuel Tank; Idle switch, Digital Controller (Basler 2020)	$45,320.00	$36,529.97
DCASS Super Silent Models Single and Three Phase Analog				
383-2	**DCA25SSIU3C**	34.3 hp (Gross) Isuzu diesel Interim Tier IV, 63dB(A), 17 Gallon Fuel Tank	$22,945.00	$18,494.71
383-2	**DCA40SSKU4I**	48.9hp (Gross) Kubota diesel Interim Tier IVi 65 dB(A):w/ ECU, EGS, 26 Gallon Fuel Tank; Idle switch	$31,350.00	$25,269.52
383-2	**DCA45SSIU4C**	67.1hp (Gross) Isuzu diesel Interim Tier IV 65 dB(A):w/ ECU, EGS, 26 Gallon Fuel Tank; Idle switch	$34,700.00	$27,969.77
383-2	**DCA45SSKU3C**	76hp (Gross) Kubota diesel Tier III 64 dB(A):w/ ECU, EGS, 26 Gallon Fuel Tank; Idle switch	$32,500.00	$26,196.47
383-2	**DCA70SSJV4I**	107.0hp (Gross), John Deere Tier IV, 65 dB(A); w/ ECU, EGS, 103 Gallon Fuel Tank; Idle switch	$60,370.40	$48,661.28
383-2	**DCA125SSJU4I**	166hp (Gross) John Deere diesel Tier IVi, 70 Db(A); w/ ECU, EGS, 168 Gallon Fuel Tank; Idle switch	$82,082.80	$66,162.46
383-2	**DCA150SSCU4i**	256hp (Gross) Isuzu Tier 4i 74 Db(A); ECU, EGS, 74 Gallon Fuel Tank; Low Coolant Shutdown and Idle switch	$111,625.00	$89,974.81

383-2	**DCA180SSCU4I**	314 hp (Gross), Cummins diesel Tier 4i, 74 dB(A); w/ECU, EGS, 100 Gallon Fuel Tank; Low Coolant Shutdown, Emergency Stop Button and Idle switch	$126,750.00	$102,166.25
383-2	**DCA220SSCU4I**	314 hp (Gross), Cummins diesel Tier IVi, 75 dB(A); w/ECU, EGS, 100 Gallon Fuel Tank; Low Coolant Shutdown, Emergency Stop Button and Idle switch	$128,250.00	$103,375.31
383-2	**DCA300SSCU4I**	433 hp (Gross), Cummins diesel Tier IVi, 75dB (A); w/ECU, EGS, 129 Gallon Fuel Tank; Low Coolant Shutdown, Emergency Stop Button and Idle switch	$166,250.00	$134,005.04
383-2	**DCA600SSVC**	796 hp (Gross), Volvo diesel Tier II, 74 dB(A); w/ECU, EGSI, 129 Gallon Fuel Tank; Low Coolant Shutdown, Emergency Stop Button and Idle switch	$236,693.00	$190,785.29
383-2	**DCA800SSK2C**	1158 hp (Gross), Komatsu diesel Tier II, 73dB(A); w/ECU, EGS, 129 Gallon Fuel Tank; Low Coolant Shutdown, Emergency Stop Button and Idle switch	$359,500.00	$289,773.30

DCAUS Ultra Silent Models Single and Three Phase Analog

383-2	**DCA25USI2C**	34.3hp (Gross), Isuzu diesel Tier IV 59dB (A), 42 Gallon Fuel Tank	$27,290.00	$21,996.98
383-2	**DCA25USI2XFC**	34.3 hp (Gross), Isuzu diesel Tier IV, 59 dB(A), 105 Gallon Fuel Tank	$29,520.00	$23,794.46
383-2	**DCA45USI2C**	67.1hp (Gross) Isuzu diesel Tier IV, 58 dB (A), w/ECU, EGS, 79 Gallon Fuel Tank; Idle switch	$39,175.00	$31,576.83
383-2	**DCA45USI2XFC**	67.1 hp (Gross), Isuzu diesel Tier IV, 58 dB(A), w/ECU, EGS, 198 Gallon Fuel Tank; Idle switch	$44,145.00	$35,582.87

Trailers — Standard and Extended Fuel

383-2	TRLRMP	2" Ball coupler or 3" Pintle coupler	$1,850.00	$1,491.18
383-2	TRLRMPXF	30 gallon fuel cell, specify 2" Ball or 3" Pintle coupler	$3,175.00	$2,559.19
383-2	TRLR50W	41 gallon fuel cell , or 3" Pintle coupler	$3,115.00	$2,510.83
383-2	TRLR50XFE	41 gallon fuel cell , or 3" Pintle coupler, Hydraulic Brakes	$3,725.00	$3,002.52
383-2	TRLR50XFE	41 gallon fuel cell, or 3" Pintle coupler, Electric Brakes	$3,725.00	$3,002.52
383-2	TRLR70XF	52 gallon fuel cell, 2" Ball or Pintle coupler, Hydraulic Brakes	$6,400.00	$5,158.69
383-2	TRLR70XFE	52 gallon fuel cell, 2" Ball or Pintle coupler, Electric Brakes	$6,400.00	$5,158.69
383-2	TRLR75XFE	100 gallon fuel cell, 2 5/16" Ball or Pintle coupler, Hydraulic Brakes	$6,895.00	$5,557.68
383-2	TRLR75XFH	100 gallon fuel cell, 2 5/16" Ball or Pintle coupler, Hydraulic Brakes	$6,895.00	$5,557.68
383-2	TRLR85XFH	180 gallon fuel cell, 2 5/16" Ball or Pintle coupler, Hydraulic Brakes	$10,480.00	$8,447.36
383-2	TRLR85XFE	180 gallon fuel cell, 2 5/16" Ball or Pintle coupler, Electric Brakes	$10,480.00	$8,447.36
383-2	TRLR125XFH	180 gallon fuel cell, 2 5/16" Ball or Pintle coupler, Hydraulic Brakes	$12,596.00	$10,152.95
383-2	TRLR125XFE	180 gallon fuel cell, 2 5/16" Ball or Pintle coupler, Electric Brakes	$12,596.00	$10,152.95
383-2	TRLR150XFH	200 gallon fuel cell, 2 5/16 Ball or Pintle coupler, Hydraulic Brakes	$13,475.00	$10,861.46
383-2	TRLR150XFE	200 gallon fuel cell, 2 5/16 Ball or Pintle coupler, Electric Brakes	$13,475.00	$10,861.46
383-2	TRLR180XFH	210 gallon fuel cell, 2 5/16 Ball or Pintle coupler, Hydraulic Brakes	$13,724.00	$11,062.17
383-2	TRLR180XFE	210 gallon fuel cell, 2 5/16 Ball or Pintle coupler, Electric Brakes	$13,724.00	$11,062.17
383-2	TRLR220XFH	300 gallon fuel cell, tool box, 2 5/16 Ball or Pintle coupler, Hydraulic Brakes	$18,751.00	$15,114.16
383-2	TRLR220XFE	300 gallon fuel cell, tool box, 2 5/16 Ball or Pintle coupler, Electric Brakes	$18,751.00	$15,114.16
383-2	TRLR325XFE	300 gallon fuel cell, tool box, 2 5/16 Ball or Pintle coupler, Electric Brakes	$20,991.00	$16,919.70
383-2	TRLR325XFH	300 gallon fuel cell, tool box, 2 5/16 Ball or Pintle coupler, Hydraulic Brakes	$20,991.00	$16,919.70
383-2	TRLR800Z	35' Single Drop Deck, air brakes	$70,900.00	$57,148.61

383-2	TNK612	600 gallon base mounted UL142 double wall tank with rails	$22,279.00	$17,957.88
383-2	TNK624	1000 gallon base mounted UL142 double wall tank with rails	$25,289.00	$20,384.08
383-2	TNK812	600 gallon base mounted UL142 double wall tank with rails	$25,561.00	$20,603.32
383-2	TNK824	1250 gallon base mounted UL142 double wall tank with rails	$27,450.00	$22,125.94

Trailers — Ultra Silent

383-2	TRLR25US	2" Ball or Pintle coupler (Single Axle)	$2,295.00	$1,849.87
383-2	TRLR45US2H	2" Ball or Pintle coupler, Hydraulic Brakes (Double Axle)	$5,000.00	$4,030.23
383-2	TRLR45US2E	2" Ball or Pintle coupler, Electric Brakes (Double Axle)	$5,000.00	$4,030.23
383-2	TRLR70USH	2" Ball or Pintle coupler, Hydraulic Brakes	$6,825.00	$5,501.26
383-2	TRLR70USE	2" Ball or Pintle coupler, Electric Brakes	$6,825.00	$5,501.26
383-2	TRLR85USH	2" Ball, 2 5/16" Ball or Pintle coupler, Hydraulic Brakes	$7,290.00	$5,876.07
383-2	TRLR85USE	2" Ball, 2 5/16" Ball or Pintle coupler, Electric Brakes	$7,290.00	$5,876.07
383-2	TRLR150USH	2 5/16" Ball or Pintle coupler, Hydraulic Brakes	$9,995.00	$8,056.42
383-2	TRLR150USE	2 5/16" Ball or Pintle coupler, Electric Brakes	$9,995.00	$8,056.42

Generator Accessories

Trailer Couplers

383-2	29228	2" Ball 6000 lbs - Models: TRLRMP/ MPXF, TRLR50XF / XFE, TRLR25US	$95.00	$76.57
383-2	EE43254	2" Ball 10,000 lbs - Models: TRLR45US2H / US2E, TRLR70USH / USE, TRLR85USH / USE, TRLR85XFH / XFE, TRLR125XFH / XFE, TRLR150OUSH / USE, TRLR150XFH / XFE	$95.00	$76.57
383-2	EE36264	3" Pintle - All TRLR model trailers (Exception, TRLR800Z)	$95.00	$76.57
383-2	EE43253	2 5/16" Ball 14,000 lbs - All TRLR model trailers (TRLR325XFH/XFE, TRLR400XF3H/ XF3E, TRLR800Z)	$95.00	$76.57

Adapter Plate

383-2	ADAPTER85XFDCA25	For 20, 25SS mounted on TRLR85XF	$1,200.00	$967.25

AutoStart/Stop

383-2	MQPECUDA7KIT	DA7000	$2,160.00	$1,741.06
383-2	MQPECU12SPX3KIT	TLG12SPX	$2,625.00	$2,115.87
383-2	MQPECU10/15SPX4KIT	DCA10SPX4, DCA15SPX4C	$2,695.00	$2,172.29
383-2	MQPECU25USKIT	DCA20SPXU2, DCA25US	$2,160.00	$1,741.06
383-2	MQPECU45USKIT	DCA45US	$2,050.00	$1,652.39

Engine Heater

383-2	MQPHEAT10/15KIT	DCA10SPX3, DCA10SPX4, DCA15SPX3, DCA15SPX4	$500.00	$403.02
383-2	MQPHEAT12SPX3KIT	DCA12SPX3, DCA12SPX4	$500.00	$403.02
383-2	MQPHEAT300TKIT	DCA300SSK4, DCA300SSCUC	$790.00	$636.78
383-2	MQPHEATDAKIT-A	DCA20SPXM DCA25USI, DCA25USI2, DCA25SSIU2, DCA25SSIU3	$540.00	$435.26
383-2	MQPHEATJDKIT	All John Deere Powered DCA Generators	$540.00	$435.26
383-2	MQPHEATTKIT-B	DCA36SPX / SPXU2, DCA45SSIU3, DCA45SSIU4, DCA45USI, DCA45USI2, DCA70SSIU2, DCA70USI2	$785.00	$632.75
383-2	MQPHEATTKIT-C	DCA125SSIU, DCA125USI	$785.00	$632.75

383-2	MQPHEATTKIT-D	DCA150SSI, DCA180SSIU	$1,190.00	$959.19
383-2	MQPHEATTKIT-D	DCA600SSV, DCA800	$1,190.00	$959.19
	Battery Chargers			
383-2	MQPBCDA10KIT	TLG12, DCA10, DCA15 (12 Volts, 5 Amps)	$550.00	$443.32
383-2	MQPBCDA15KIT	TLG12, DCA10, DCA15 (12 Volts, 5 Amps)	$550.00	$443.32
383-2	MQPBCKIT-A	DCA20, DCA25, DCA36, DCA45, DCA56, DCA70	$630.00	$507.81
383-2	MQPBCKIT- B	DCA45US	$650.00	$523.93
383-2	MQPBCKIT- G	DCA25USIC	$650.00	$523.93
383-2	MQPBCKIT-C	DCA180 - 220	$1,050.00	$846.35
383-2	MQPBCKIT-D OR E	DCA300 - 800	$1,465.00	$1,180.86
	LowCoolant Shutdown			
383-2	LCSD12KIT	All models excluding DCA150 - 800	$815.00	$656.93
	Emergency StopButton			
383-2	MQPESTOPKIT	All models excluding DCA180 - 800	$475.00	$382.87
	Spark Arrester			
383-2	SPARK2KIT	DCA20 - 85	$650.00	$523.93
	External Fuel - 3 way valve			
383-2	MQP3WAYFUELVALVEKT	DCA25 - 800	$875.00	$705.29
	ColdWeather Relay FanKits (USmodels ONLY)			
383-2	DCA25USCWKRF	DCA25US	$500.00	$403.02
383-2	DCA45USCWKRF	DCA45US	$500.00	$403.02
383-2	DCA70USCWK	DCA70US	$500.00	$403.02
383-2	DCA85USCWKRF	DCA85US	$500.00	$403.02
383-2	DCA125USCWKRF	DCA125US	$500.00	$403.02
383-2	DCA150USCWKRF	DCA150US	$500.00	$403.02
	Battery Tender			
383-2	MQPBCDAKIT	DA7000, TLG12, DCA10 -70	$435.00	$350.63
	Electronic Governer System			
383-2	MQPEGS25US2KIT	TLG12, DCA20, DCA25	$2,990.00	$2,410.08
	Racor Filters			
383-2	MQPRACOR10KIT, MQPRACOR12KIT, MQPRACOR15KIT	DCA10 - 15	$310.00	$249.87
383-2	MQPRACOR25KIT	DCA25SSIU	$520.00	$419.14
383-2	MQPRACOR45KIT	DCA45SSI	$520.00	$419.14
383-2	MQPRACOR45USKIT	DCA45US	$520.00	$419.14
383-2	MQPRACOR70KIT	DCA70SSJU/85SSJU	$520.00	$419.14
383-2	MQPRACOR85-220JDKT	DCA85 - 220	$590.00	$475.57
383-2	MQPRACOR300KIT	DCA300 - 800	$920.00	$741.56
	Camlok DistributionSystem(1 set of 5 lugs)			
383-2	CAMLOK1AKIT	DCA25USI2, DCA25USIXFC, DCA45SSIU4, DCA45USIXFC, DCA45USI2, DCA36SPXU2	$620.00	$499.75
383-2	CAMLOK1BKIT	DCA70SSIU, DCA70USI2, DCA70SSIU2, DCA70USIXFC, DCA85SSJU2, DCA56SPXU2	$620.00	$499.75
383-2	CAMLOK1CKIT	DCA125SSIU, DCA150SSJU3, DCA150SSI, DCA85USJ2, DCA125USI, DCA150USJ2	$620.00	$499.75
383-2	CAMLOK1DKIT	DCA25SSIU3	$600.00	$483.63

383-2	CAMLOK-1KIT	DCA180SSJU, DCA18SSIU, DCA220SSJ, DCA250SSIU, DCA300SSK4, DCA300SSC, DCA400SSI DCA56SPXU2, DCA70USI, DCA70SSIU, DCA70USI2, DCA70SSIU2, DCA70USIXFC, DCA85SSJU2	$620.00	$499.75
383-2	CAMLOK2BKIT		$1,240.00	$999.50
	CAMLOK2CKIT	DCA125SSIU, DCA85USJ2, DCA150SSJU3, DCA125USI, DCA150SSI, DCA150USJ2		
383-2			$1,240.00	$999.50
383-2	CAMLOK-2KIT	DCA180SSJ, DCA180SSIU, DCA220SSJU, DCA250SSIU, DCA300SSK4, DCA400SSI	$1,240.00	$999.50
383-5*	MQP-BC4	Battery Charger for DCA400 to DCA800	$1,350.00	1156.17; 1292.19
383-5*	MQP-BC1	Battery Charger for TLG12, DCA10 to DCA15	$525.00	449.62; 502.52
383-5*	MQP-BC2	Battery Charger for DCA20 to DCA150	$600.00	513.85; 574.31
383-5*	MQP-BC3	Battery Charger for DCA180 to DCA300	$975.00	835.013; 933.25
	LIGHT TOWERS			
383-10	MLT	Modular Light Tower, less power source (Use only with DA-7000SS)	$6,930.00	$5,585.89
383-10	MLT-DA7	Modular Light Tower with DA-7000SS generator	$15,580.00	$12,558.19
383-10	MLT-SDW7	Modular Light Tower with SDW-225SS welder / 6KW genset	$17,525.00	$14,125.94
383-10	LT-12D	Modular Light Tower with 6KW Generator / Lombardini LDW1003 Diesel	$12,200.58	$9,834.22
	LIGHT TOWER ACCESSORIES			
383-10	29720	Hitch Ball Adjustment Height	$170.00	$137.03
383-10	29721	Hitch Pintle Kit Adjustable	$170.00	$137.03
383-10	29791	Hitch Pintle w/a Fixed Height	$45.00	$36.27
	GLOWBUG BALLOON LIGHTS			
383-10	GB12BW	Tripod Stand; 400W metal Halide Lamp; 2-Stage Pole; Electronic Ballast	$2,882.25	$2,323.22
383-10	GB12BS	400W metal Halide Lamp; Offset Pole; Electronic Ballast (Equipment Mount)	$2,882.25	$2,323.22
383-10	GB12BP	400W metal Halide Lamp; Electronic Ballast (No Mount)	$2,590.00	$2,087.66
383-10	GBC	Steerable 4-wheel cart; 1,000W metal Halide lamp; 3-Stage Mast; 3 Outriggers (E-Ballast)	$5,243.75	$4,226.70
383-10	GBW	Penta-Stand; 1,000W metal Halide lamp: 3-Stage Mast: 5 Outriggers (E-Ballast)	$4,672.06	$3,765.89
383-10	GBS	Equipment Mount - 1,000W metal Halide Lamp; (E-Ballast)	$4,410.00	$3,554.66
383-10	GBP	No Mount - 1,000W metal Halide Lamp; (E-Ballast)	$4,095.00	$3,300.76
383-10	GBMP	Plate Mount Accessory	$325.00	$261.96
383-10	GBHM	Hitch Mount Accessory	$325.00	$261.96
383-10	GBBAL115D	Drum Balloon with Reflector for 1000W units.	$393.00	$316.78
383-10	GBBALD1	Message strip for GBBAL115D balloon.	$52.00	$41.91
383-10	GB36S	Marshmallow Balloon for 1000W units.	$320.00	$257.93
383-10	GB36BMS	Message strip for GB36S.	$131.25	$105.79
383-10	GBB85D	Drum balloon for 400W units.	$199.01	$160.41
383-10	GBBALD1JR	Message strip for 400W units.	$36.75	$29.62
383-10	GB2000	Globug Light Fixture 2000W	$4,298.93	$3,465.13
383-10	GB43SC	Light-Balloon4 spot 400W ea4	$5,973.93	$4,815.26
383-10	GBCE	GBC w/extension Pole	$5,286.25	$4,260.96

383-10	GBWE	GloBug Mounting Plate Kit	$4,714.05	$3,799.74
383-10	GBXPOLE	Extension Pole for GBCE and GB	$126.00	$101.56

ELUMENUS

LED LIGHT T-SERIES 24'' TUBE

206-4	ELNL-A903T8W-60A3	T8 LED 2' (24") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, WARM 3000K CT, 8 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$75.00	$60.45
206-4	ELNL-A903T8W-60B3	T8 LED 2' (24") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Soft White 4000K CT, 8 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$75.00	$60.45
206-4	ELNL-A903T8W-60D3	T8 LED 2' (24") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Cool 5000K CT, 8 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$75.00	$60.45
206-4	ELNL-A903T8W-60C3	T8 LED 2' (24") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Cool 5000K CT, 8 watt total consumption, 87.5 lm per watt, 120 to 277V, Daylight 6000K CT, 8 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$75.00	$60.45

LED LIGHT T-SERIES 36'' TUBE

206-4	ELNL-A903T8W-90A3	T8 LED 3' (36") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, WARM 3000K CT, 12 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$90.00	$72.54
206-4	ELNL-A903T8W-90B3	T8 LED 3' (36") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Cool 4000K CT, 12 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$90.00	$72.54

206-4	ELNL-A903T8W-90D3	T8 LED 3' (36") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty,factor, .95 power factor with less than 6% THD, RoHS Compliant Cool 5000K CT, 12 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power	$90.00	$72.54
206-4	ELNL-A903T8W-90C3	T8 LED 3' (36") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Dayllight 6000K CT, 12 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$90.00	$72.54
		LED LIGHT T-SERIES 48'' TUBE		
206-4	ELNL-A903T8W-120A3	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Power factor, .95 power factor with less than 6% THD, RoHS Compliant, Warm 3000K CT, 16 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High	$86.89	$70.04
206-4	ELNL-A903T8W-120B3	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Soft White 4000K CT, 16 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$86.89	$70.04
206-4	ELNL-A903T8W-120D3	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Cool 5000K CT, 16 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$86.89	$70.04
206-4	ELNL-A903T8W-120C3	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Daylight 6000K CT, 16 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, UL rated High Power factor, .95 power factor with less than 6% THD, RoHS Compliant	$86.89	$70.04
206-4	ELNL-A903T8W-120A4	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Warm 3000K CT, High Output, 20 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$86.89	$70.04

206-4	ELNL-A903T8W-120B4	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Soft White 4000K CT, High Output, 20 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$86.89	$70.04
206-4	ELNL-A903T8W-120D4	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Cool 5000K CT, High Output, 20 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$86.89	$70.04
206-4	ELNL-A903T8W-120C4	T8 LED 4' (48") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Daylight 6000K CT, High Output, 20 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$86.89	$70.04
		LED LIGHT T-SERIES 60" TUBE		
206-4	ELNL-A903T8W-150A3	T8 LED 5' (60") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Warm 3000K CT, 25 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$167.00	$134.61
206-4	ELNL-A903T8W-150B3	T8 LED 5' (60") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Soft White 4000K CT, 25 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$167.00	$134.61
206-4	ELNL-A903T8W-150D3	T8 LED 5' (60") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Cool 5000K CT, 25 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$167.00	$134.61
206-4	ELNL-A903T8W-150C3	T8 LED 5' (60") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Daylight 6000K CT, 25 watt total consumption, 87.5 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$167.00	$134.61
		LED LIGHT T-SERIES 96" TUBE		
206-4	ELNL-A903T8W-240A3	T8 LED 8' (96") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Warm 3000K CT, High Output, 32 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$286.00	$230.53

206-4	ELNL-A903T8W-240B3	T8 LED 8' (96") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Soft White 4000K CT, High Output, 32 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$286.00	$230.53
206-4	ELNL-A903T8W-240D3	T8 LED 8' (96") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Cool 5000K CT, High Output, 32 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$286.00	$230.53
206-4	ELNL-A903T8W-240C3	T8 LED 8' (96") Vision series, solid state replacement for any T8, T10 or T12 lamp configurations, UL listed, UL approved for damp locations, 50,000 hr. product performance warranty, Daylight 6000K CT, High Output, 32 watt total consumption, 92.6 lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury or Glass, .95 power factor with less than 6% THD, RoHS Compliant	$286.00	$230.53
		LED LIGHT BR-SERIES 30"		
206-4	ELNL-A384US6-W3	BR30 LED Vision series, solid state replacement lamp, NO fixture modification required, 50,000 hr. product performance warranty, Warm 3000K CT, 6 watt total consumption, 63lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear glass flood lens, E26 base	$47.00	$35.52
206-4	ELNL-A384US6-D3	BR30 LED Vision series, solid state replacement lamp, NO fixture modification required, 50,000 hr. product performance warranty, Soft White 4000K CT, 6 watt total consumption, 63lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear glass flood lens, E26 base	$47.00	$35.52
206-4	ELNL-A384US6-C3	BR30 LED Vision series, solid state replacement lamp, NO fixture modification required, 50,000 hr. product performance warranty, Daylight 6000K CT, 6 watt total consumption, 63lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear glass flood lens, E26 base	$47.00	$35.52
		LED LIGHT BR-SERIES 40"		
206-4	ELNL-A391US10-W3	BR40 LED Vision series, solid state replacement lamp, NO fixture modification required, 50,000 hr. product performance warranty, Warm 3000K CT, 11 watt total consumption, 62.5lm per watt, 120 to 240V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear glass flood lens, E26 base	$79.00	$59.70
206-4	ELNL-A391US10-D3	BR40 LED Vision series, solid state replacement lamp, NO fixture modification required, 50,000 hr. product performance warranty, Soft White 4000K CT, 11 watt total consumption, 62.5lm per watt, 120 to 240V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear glass flood lens, E26 base	$79.00	$59.70

206-4	ELNL-A391US10-C3	BR40 LED Vision series, solid state replacement lamp, NO fixture modification required, 50,000 hr. product performance warranty, Daylight 6000K CT, 11watt total consumption, 62.5lm per watt, 120 to 240V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear glass flood lens, E26 base	$79.00	$59.70
		LED LIGHT PAR SERIES 38''		
206-4	ELNL-A183E26A-12W	PAR38 LED, Vision series, solid state replacement lamp, Uses CREE LED, Indoor or outdoor use, NO fixture modification required, replaces PAR38 and suitable for R40 applications, 50,000 hr. product performance warranty, Warm 2900K CT, 13 watt total consumption, 76.2lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, Spot lens, E26 base	$105.00	$80.40
206-4	ELNL-A183E26A-12B	PAR38 LED, Vision series, solid state replacement lamp, Uses CREE LED, Indoor or outdoor use, NO fixture modification required, replaces PAR38 and suitable for R40 applications, 50,000 hr. product performance warranty, operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, Spot lens, E26 base	$105.00	$80.40
206-4	ELNL-A183E26A-12C	PAR38 LED, Vision series, solid state replacement lamp, Uses CREE LED, Indoor or outdoor use, NO fixture modification required, replaces PAR38 and suitable for R40 applications, 50,000 hr. product performance warranty, Daylight 6000K CT, 13 watt total consumption, 76.2lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, E26 base	$105.00	$80.40
		LED LIGHT A SERIES 19''		
206-4	ELNL-A380US6-W6	A19 LED, Vision series, solid state replacement lamp, NO fixture modification required, suitable for R30 downlight applications, 50,000 hr. product performance warranty, THD, ETL, CSA, RoHS Compliant, clear lens, E26 base Warm 3000K CT, 6.5 watt total consumption, 52.5lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6%	$44.00	$34.14
206-4	ELNL-A380US6-B6	A19 LED, Vision series, solid state replacement lamp, NO fixture modification required, suitable for R30 downlight applications, 50,000 hr. product performance warranty, Soft White 4000K CT, 6.5 watt total consumption, 52.5lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear lens, E26 base	$44.00	$34.14
206-4	ELNL-A380US6-C6	A19 LED, Vision series, solid state replacement lamp, NO fixture modification required, suitable for R30 downlight applications, 50,000 hr. product performance warranty, Daylight 6000K CT, 6.5 watt total consumption, 52.5lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, clear lens, E26 base	$44.00	$34.14
		LED LIGHT PAR SERIES 30''		

206-4	ELNL-A184E26A-7W	PAR30 LED, Vision series, solid state replacement lamp, Uses CREE LED, Indoor or outdoor use, NO fixture modification required, replaces PAR38 and suitable for R30 applications, 50,000 hr. product performance warranty, Warm 2900K CT, 7 watt total consumption, 62.5lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, E26 base	$105.00	$80.40
206-4	ELNL-A184E26A-7B	PAR30 LED, Vision series, solid state replacement lamp, Uses CREE LED, Indoor or outdoor use, NO fixture modification required, replaces PAR38 and suitable for R30 applications, 50,000 hr. product performance warranty, Soft White 4000K CT, 7 watt total consumption, 62.5lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, E26 base	$105.00	$80.40
206-4	ELNL-A184E26A-7C	PAR30 LED, Vision series, solid state replacement lamp, Uses CREE LED, Indoor or outdoor use, NO fixture modification required, replaces PAR38 and suitable for R30 applications, 50,000 hr. product performance warranty, Daylight 6000K CT, 7 watt total consumption, 62.5lm per watt, 120 to 277V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, E26 base	$105.00	$80.40
		LED LIGHT MR16 SERIES		
206-4	ELNL-A907US1-3B	MR16/R20 LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, Warm 2900K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, E26 base	$38.75	$31.23
206-4	ELNL-A907US1-3C	MR16/R20 LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, Soft White 4000K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, E26 base	$38.75	$31.23
206-4	ELNL-A907US1-3W	MR16/R20 LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, Daylight 6000K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, E26 base	$38.75	$31.23
206-4	ELNL-A907US2-3W	MR16 GU10 LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, Warm 2900K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, GU10 base	$37.50	$30.23
206-4	ELNL-A907US2-3B	MR16 GU10 BASE LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, 4000K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, GU10 base	$37.50	$30.23

206-4	ELNL-A907US2-3C	MR16 GU10 BASE LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, Daylight 6000K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, GU10 base	$37.50	$30.23
206-4	ELNL-A907US4-3W	MR16 5.3 BI-PIN BASE LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, WARM 3000K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, 5.3BI-PIN base	$37.50	$30.23
206-4	ELNL-A907US4-3B	MR16 5.3 BI-PIN BASE LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, 4000K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, 5.3 BI-PIN base	$37.50	$30.23
206-4	ELNL-A907US4-3C	MR16 5.3 BI-PIN BASE LED, Vision series, solid state replacement lamp, CREE LED, NO fixture modification required, 50,000 hr. product performance warranty, Daylight 6000K CT, 4 watt total consumption, 62.5lm per watt, 120V, NO ballast required, -32F to 122F operating temp, NO Mercury, .95 power factor with less than 6% THD, ETL, CSA, RoHS Compliant, spot lens, 5.3 BI-PIN base	$37.50	$30.23
		FLAT PANEL LAY IN FIXTURES		
206-4	ELNL-A914WW1-60C	FLAT PANEL LAY IN FIXTRE 2 X2, DAYLIGHT COLOR TEMP 5000K, 39W, POWER FACTOR >.95, 51.3 LUMEN PER WATT	$368.75	$297.23
206-4	ELNL-A914WW1-60W	FLAT PANEL LAY IN FIXTRE 2 X2, WARM COLOR TEMP 3000K, 39W, POWER FACTOR >.95, 51.3 LUMEN PER WATT	$368.75	$297.23
	ECOQUIP, INC			
253-48C	EQ200T	Wet Abrasive blast system with 400lbs pot media capacity (8 bags blast media,) 50' blast hose, compressor (rated delivery 175-210 cfm, 100 psi operating pressure), 4 cylinder turbo diesel tier 4 engine (45-57 HP @ 2600 RPM), 12VDC battery, mounted on double-axle heavy-duty trailer with 110 gallon water tank.	$48,000.00	$47,395.47
253-48C	EQ400T	Wet Abrasive blast system with 600lbs pot media capacity (12 bags blast media,) 50' blast hose, compressor (rated delivery 375-425 cfm, 100 psi operating pressure), 4 cylinder turbo diesel tier 3 engine (90-108 HP @ 2400-2600 RPM), 12VDC or 24 VDC battery, mounted on double-axle heavy-duty trailer with 110 gallon water tank.	$68,500.00	$66,947.10
253-48C	EQ300C	Framed, skid mounted wet abrasive blast system, with 400lb blast pot (8 bags blast media), 50' blast hose, dead man control, and nozzle. Air capacity 150 - 220 CFM EQ 200T Hose and Nozzle. Requires 150 to 220 cfm compressor, not included.	$34,500.00	$33,717.88

253-48C	EQ600C	Framed, skid mounted wet abrasive blast system, with 600lb blast pot (12 bags blast media), 50' blast hose, dead man control, and nozzle. Air capacity 375 - 440 CFM EQ 400T Hose and Nozzle. Requires 375 to 440 cfm compressor, not included.	$35,000.00	$34,559.19
253-48C	CGBM BAG	Clean Green Blast Media 1 Bag = 50 lbs	$50.00	$48.87
253-48C	CGBM PALLET	Clean Green Blast Media 1 Pallet = 40 bags X 50 lbs = 2000 lbs	$1,600.00	$1,547.61

MMD EQUIPMENT

GENERATORS

383-2	SDG25S-8B1	25kVA/20kW Isuzu Generator, Brushless Excitation with AVR, 60Hz, Multi-Phase, Interim Tier 4 Emissions, 50 Gallon Fuel Tank with Fluid Containment System, 62db, 67 x 28 x 50 , 1587lbs (Dry) Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing	$17,675.00	$16,027.71
383-2	SDG45S-8B1	45kVA/36kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Interim Tier 4 Emissions, 106 Gallon Fuel Tank with Fluid Containment System, 65db, 82 x 39 x 61 , 2735lbs (Dry) Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing	$27,300.00	$24,755.67
383-2	SDG65S-8B1	65kVA/52kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 106 Gallon Fuel Tank with Fluid Containment System, 63db, 82 x 39 x 61 , 2875lbs (Dry) Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing	$32,600.00	$29,561.71
383-2	SDG100S-8B1	100kVA/80kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 198 Gallon Fuel Tank with Fluid Containment System, 64db, 100 x 46 x 72 , 4619lbs (Dry) Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing	$46,300.00	$41,984.89
383-2	SDG125S-8B1	125kVA/100kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 198 Gallon Fuel Tank with Fluid Containment System, 65db, 100 x 46 x 72 , 4729lbs (Dry) Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing	$49,850.00	$45,204.03
383-2	SDG150S-8B1	150kVA/120kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 215 Gallon Fuel Tank with Fluid Containment System, 68db, 126 x 46 x 72 , 6007lbs (Dry) Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing	$61,500.00	$55,768.26

383-2	SDG400S-6B1	400kVA/320kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 585 Gallon Fuel Tank with Fluid Multi-Phase, Tier 3 Emissions, 585 Gallon Fuel Tank with Fluid Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing	$128,900.00	$116,886.65
383-2	SDG25S-8B1 TRL	25kVA/20kW Isuzu Generator, Brushless Excitation with AVR, 60Hz, Multi-Phase, Interim Tier 4 Emissions, 50 Gallon Fuel Tank with Fluid Containment System, 62db, 119 x 54 x 62 , 2950lbs GVWR Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing, Single-Axle Trailer, Hitch	$19,600.00	$17,773.30
383-2	SDG45S-8B1 TRL	45kVA/36kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Interim Tier 4 Emissions, 106 Gallon Fuel Tank with Fluid Containment System, 65db, 82 x 39 x 61 , 5500lbs GVWR, Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing, Tandem Axle Hydraulic Brake Trailer, Hitch	$31,200.00	$28,292.19
383-2	SDG65S-8B1 TRL	65kVA/52kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 106 Gallon Fuel Tank with Fluid Containment System, 65db, 82 x 39 x 61 , 5500lbs GVWR, Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing, Tandem Axle Hydraulic Brake Trailer, Hitch	$36,500.00	$33,098.24
383-2	SDG100S-8B1 TRL	100kVA/80kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 198 Gallon Fuel Tank with Fluid Containment System, 65db, 82 x 39 x 61 , 9900lbs GVWR, Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing, Tandem Axle Hydraulic Brake Trailer, Hitch	$53,250.00	$48,287.15
383-2	SDG125S-8B1 TRL	125kVA/100kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 198 Gallon Fuel Tank with Fluid Containment System, 65db, 82 x 39 x 61 , 9900lbs GVWR, Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing, Tandem Axle Hydraulic Brake Trailer, Hitch	$56,800.00	$51,506.30
383-2	SDG150S-8B1 TRL	150kVA/120kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 215 Gallon Fuel Tank with Fluid Containment System, 65db, 82 x 39 x 61 , 9900lbs GVWR, Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing, Tandem Axle Hydraulic Brake Trailer, Hitch	$68,450.00	$62,070.53

383-2	SDG400S-6B1 TRL	400kVA/320kW Isuzu Generator, Brushless Excitation with AVR, 50/60Hz, Multi-Phase, Tier 3 Emissions, 585 Gallon Fuel Tank with Fluid Containment System, 65db, 82 x 39 x 61 , 24,000lbs GVWR, Fuel Primer and AirBleed (EFPA) Pump, Auto Start/Stop, Auto Safety Shutdown, Sound Attenuated Housing, Tandem Axle Hydraulic Brake Trailer, Hitch	$147,300.00	$133,571.79
383-2	CAMLOCKS	Installed at MMD Facility	$1,225.00	$1,110.83
383-2	BATTERYCHARGER	Installed at MMD Facility	$425.00	$385.39
383-2	ENGINEHEATER	Installed at MMD Facility	$625.00	$566.75
383-2	CAMLOCKSUN	Uninstalled	$625.00	$566.75
383-2	BATTERYCHARGERUN	Uninstalled	$300.00	$272.04
383-2	ENGINEHEATERUN	Uninstalled	$500.00	$453.40
		AIR COMPRESSOR		
253-39	PDS100S-6B4	100 CFM Air Compressor @ 100 PSI, 27.1hp Shibaura Engine, 2x 3/4 Air Outlets, 18.5gal Fuel Capacity, Dry Weight 1724 lbs, Dimensions without Frame 62 x 57 x 39 , 68dB, Air Bleed (EFPA), All Drainage on Outside of Housing, A-Frame Trailer Undercarriage, Hitch	$12,550.00	$11,380.35
253-39	PDS130S-6B1	130 CFM Air Compressor @ 100 PSI, 37.5hp Shibaura Engine, 2x 3/4 Air Outlets, 18.5gal Fuel Capacity, Dry Weight 1852 lbs,	$13,100.00	$11,879.09
253-39	PDS185S-6C1	185 CFM Air Compressor @ 100 PSI, 49*/55hp Nissan Engine, 2x 3/4 Air Outlets, 25gal Fuel Capacity, Dry Weight 2400 lbs, Dimensions 73.2 x 66 x 55 , 62dB, Air Bleed (EFPA), All Drainage on Outside of Housing, A-Frame Trailer Undercarriage, Hitch	$14,499.99	$13,148.61
253-39	PDS185S-5C2	175 CFM Air Compressor @ 100 PSI, 45hp Yanmar Engine, 2x 3/4 Air Outlets, 25gal Fuel Capacity, Dry Weight 1653 lbs, Dimensions 73.2 x 66 x 55 , 69dB, Air Bleed (EFPA), All Drainage on Outside of Housing	$16,950.00	$15,370.28
253-39	PDS400S-6B1	400 CFM Air Compressor @ 100 PSI, 108hp Isuzu Engine, 2x 3/4 1x 1/4 Air Outlets, 43.6gal Fuel Capacity, Dry Weight 4100 lbs Dimensions without Frame 95 x 57 x 46 , 74.5dB, Air Bleed (EFPA), All Drainage on Outside of Housing	$31,075.00	$28,178.84
253-39	PDS100S-6B4 TRL	100 CFM Air Compressor @ 100 PSI, 27.1hp Shibaura Engine, 2x 3/4 Air Outlets, 18.5gal Fuel Capacity, Dry Weight 1742 lbs, Dimensions with Towing Frame 116 x 57 x 57 , 68dB, Air Bleed (EFPA), All Drainage on Outside of Housing, A-Frame Trailer Undercarriage, Hitch 13 Tires, Safety Chains	$13,175.00	$11,947.10

253-39	PDS130S-6B1 TRL	130 CFM Air Compressor @ 100 PSI, 37.5hp Shibaura Engine, 2x 3/4 Air Outlets, 18.5gal Fuel Capacity, Dry Weight 1676 lbs, Dimensions with Towing Frame 116 x 57 x 57 , 70dB, Air Bleed (EFPA), All Drainage on Outside of Housing, A-Frame Trailer Undercarriage, Hitch, 13 Tires, Safety Chains	$13,725.00	$12,445.84
253-39	PDS185S-6C1 TRL	185 CFM Air Compressor @ 100 PSI, 49*/55hp Nissan Engine, 2x 3/4 Air Outlets, 25gal Fuel Capacity, Dry Weight 1800 lbs, Dimensions with Towing Frame 128 x 66 x 55 , 62dB, Air Bleed (EFPA), All Drainage on Outside of Housing, A-Frame Trailer Undercarriage, Hitch 13 Tires, Safety Chains	$15,200.01	$13,783.38
253-39	PDS400S-6B1 TRL	400 CFM Air Compressor @ 100 PSI, 108hp Isuzu Engine, 2x 3/4 1x 1/4 Air Outlets, 43.6gal Fuel Capacity, Dry Weight 3891 lbs, Dimensions with Towing Frame 157 x 57 x 63 , 74.5dB, Air Bleed (EFPA), All Drainage on Outside of Housing, A-Frame Trailer, Undercarriage, Hitch, 13 Tires, Safety Chains	$32,625.00	$29,584.38
253-39	SINGLEHOSEREEL	Installed at MMD Facility	$1,325.00	$1,201.51
253-39	DUALHOSEREEL	Installed at MMD Facility	$2,175.00	$1,972.29
253-39	ADDHITCH	2" Ball or 2" Hitch	$55.00	$49.87
253-39	SINGLEHOSEREELUN	Uninstalled	$1,000.00	$906.80
253-39	DUALHOSEREELUN	Uninstalled	$1,875.00	$1,700.25
		HEATERS		
563-27	ITA 45-OIL BURNER	Indirect Oil Fired Heater, 154,000 Btu/hr,1850 cfm, Fuel: Oil, PS 230V, 1.2 Amps, Net Weight 231lbs, Dimensions 64 x 24 x 35 , Certified CSA/AGA	$4,150.00	$3,763.22
563-27	ITA 75-OIL BURNER	Indirect Oil Fired Heater, 240,000 Btu/hr, 2350 cfm, Fuel: Oil, PS 230V, 1.2 Amps, Net Weight 289lbs, Dimensions 91 x 30.7 x 52 , Certified CSA/AGA	$4,275.00	$3,876.57
563-27	IMA 111-OIL BURNER	Indirect Oil Fired Heater, 375,000 Btu/hr, 4709 cfm, Fuel: Oil, PS 230V, 9.2 Amps, Net Weight 727lbs, Dimensions 91 x 30.7 x 52 , Certified CSA/AGA	$11,275.00	$10,224.18
563-27	IMA 111-GAS BURNER	Indirect Gas Fired Heater, 375,000 Btu/hr, 4709 cfm, Fuel: Oil, PS 230V, 9.2 Amps, Net Weight 727lbs, Dimensions 91 x 30.7 x 52 , Certified CSA/AGA	$11,550.00	$10,473.55
563-27	IMA 185-OIL BURNER	Indirect Oil Fired Heater, 631,000 Btu/hr, 5886 cfm, Fuel: Oil, PS 230V, 15 Amps, Net Weight 936lbs, Dimensions 106 x 35 x 60 , Certified CSA/AGA	$13,050.00	$11,833.75
563-27	IMA 185-GAS BURNER	Indirect Gas Fired Heater, 631,000 Btu/hr, 5886 cfm, Fuel: Oil, PS 230V, 15 Amps, Net Weight 936lbs, Dimensions 106 x 35 x 60 , Certified CSA/AGA	$14,624.99	$13,261.96
563-27	IMAC2000S-OIL BURNER	Indirect Oil Fired Heater, 631,000 Btu/hr, 7063 cfm, Fuel: Oil, PS 400V, 7.5 Amps, Net Weight 1201lbs, Dimensions 94 x 31.5 x 54 , Certified CSA/AGA	$17,900.00	$16,231.74
563-27	IMAC2000S-GAS BURNER	Indirect Oil Fired Heater, 631,000 Btu/hr, 7063 cfm, Fuel: Oil, PS 400V, 7.5 Amps, Net Weight 1201lbs, Dimensions 94 x 31.5 x 54 , Certified CSA/AGA	$19,300.00	$17,501.26
563-27	BIO-1-RAPESEED OIL-FIRED	Indirect BioEnergy Heater, 92,000 Btu/hr, 2119 cfm, Fuel: Rapeseed Oil, PS 230V 0.8 Amps, Net Weight 149lbs, Dimensions 54 x 34 x 21 , Certified CSA/AGA	$3,375.00	$3,060.45

Note: 383-5 Destination